Form PTO-1449 | U.S. Department of Commerce
Patent and Trademark Office

INFORMATION DISCLOSURE CITATION
(Use several sheets if necessary)

Atty. Docket No.	Serial No.:
35997-A3ZYA/JPW/ADM	Not Yet Known
Applicants	
Hung-Teh Kao, et al.	
Filing Date	Group Art Unit
Herewith	

U.S. PATENT DOCUMENTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
		4985352	1/15/91	Julius, et al.			
		5155218	10/13/92	Weinshank, et al.			
		5360735	11/1/94	Weinshank, et al.			
		5472866	12/5/95	Gerald, et al.			
		5476782	12/19/95	Weinshank, et al.			
		5661024	8/26/97	Kao et al.			
		5885785	3/23/99	Kao et al.			

JC973 U.S. PTO 09/929313 08/14/01

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes	Translation No
		0565370	10/13/93	EPO				
		2696749	4/15/94	FR				
		9506117	3/2/95	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

		Kramer, R.A., et al., "Regulated Expression of a Human Interferon Gene in Yeast, Control by Phosphate Concentration or Temperature," *PNAS* **81**: 367-370 (1984);
		Cory, R.N., et al., "5-HT_2 Receptor-Stimulated Inositol Phosphate Formation in Rat Aortic Myocyte," *Euro. J. Pharm.* **131**: 153-157 (1986);
		Hoyer, D., et al, "Serotonin Receptors in the Human Brain. II. Characterization and Autoradiographic Localization of 5-HT_{1C} and 5-HT_2 Recognition Sites," *Brain Research* **376**: 97-107 (1986);
		Lyon, R.A., et al, "^{3}H-DOB (4-Bromo-2, 5-Dimethoxyphenylisopropylamine) Labels Guanyl Nucleotide-Sensitive State of Cortical 5-HT_2 Receptors," *Mol. Pharm.* **31**: 194-199 (1986);
		Cory, R.N., et al, "The 5-Hydroxytryptamine (5-HT_2) Receptor Stimulates Inositol Phosphate Formation in Intact and Broken WRK1 Cells: Determination of Occupancy-Response Relationships for 5-HT Agonists," *J.Pharm. Exp. Ther.* **241(1)**: 258-267 (1987);
		Shenker, A., et al., "Pharmacological Characterization of Two 5-Hydroxytryptamine Receptors Coupled to Adenylate Cyclase in Guinea Pig Hippocampal Membranes," *Mol. Pharm.* **31(4)**: 357-367 (1987);
		Lubbert, H., et al., "cDNA Cloning of a Serotonin 5-HT_{1C} Receptor by Electrophysiological Assays of mRNA-Injected Xenopus Oocyte," PNAS **84**: 4332-4336 (1987);
		Kobilka, B.K., et al., "An Intronless Gene Encoding a Potential Member of the Family of Receptors Coupled To Guanine Nucleotide Regulatory Proteins," *Nature* **329**: 75-79 (1987);

EXAMINER	DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

EXHIBIT 1
Hung-Teh Kao, et al.
Serial No.: Not Yet Known
Filed: Herewith

Form PTO-1449	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 35997-A3ZYA/JPW/ADM	Serial No. Not Yet Known
		Applicant: Hung-Teh Kao, et al.	
	INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)	Filing Date: Herewith	Group Art Unit

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

		Marzoni, G., et al., "6-Methylergoline-8-Carboxylic Acid Esters as Serotonin Antagonists: N^1-Substituent Effects of $5HT_2$ Receptor Affinity," *J.Med. Chem.* **30(10)**: 1823-1826 (1987);
		Kaufman, R.J., et al., "High Level Production of Proteins in Mammalian Cells," *Genetic Engineering* **9**: 155-198 (1987) ;
		Stevens, et al., "Channel Families in the Brain," *Nature* **328**: 198-199 (1987);
		Fargin, A., et al., "The Genomic Clone G-21 Which Resembles a β-Adrenergic Receptor Sequence Encodes the 5-HT1A Receptor," *Nature* **335**: 358-360 (1988);
		Harris, T.J., et al., "Expression Of Eukaryotic Genes in E.Coli," *Genetic Engineering* **4**: 127-141 (1988);
		Julius, D., et al., "Molecular Characterization of a Functional cDNA Encoding the Serotonin 1c Receptor," *Science* **241**: 558-564 (1988);
		Pritchett, D.B., et al., "Structure and Functional Expression of Cloned Rat Serotonin 5HT-2 Receptor," *EMBO J.* **7**: 4135-4140 (1988);
		Pierce, P., et al., "Evidence for Distinct 5-Hydroxytryptamine$_2$ Binding Site Subtypes in Cortical Membrane Preparations," *J. Neurochem.* **52**: 656-658 (1989);
		Amstien, R., et al., "Platelet Deactivation by 5HT2-Receptor Blockade Parallels the antihypertensive Response to Ketanserin," *J. Hypertense.* **7(4)**: 255-260 (1989);
		Wright, D.E., et al, "5-Carboxamidotryptamine Elicits 5-HT_2 and 5-HT_3 Receptor-Mediated Cardiovascular Responses in the Conscious Rabbit: Evidence for 5-HT Release from Platelets," *Cardiovasc. Pharm.* **13 (4)**: 557-564 (1989);
		Strader, C.D., et al, "Structural Basis of β-Adrenergic Receptor Function, *FASEB J.* **3**: 1825-1832 (1989);
		Schmidt, A.W., et al, "5-Hydroxytryptamine Receptor Families," *FASEB J.* **3**: 2242-2250 (1989);
		Cohen, M.L., et al., "Lack of a Difference Between Ketanserin and Ritanserin In Central v. Peripheral Serotonin Receptor Antagonism," *Life Sci.* **45(13)**: 1185-1189 (1989);
		Cohen M.L., et al., "Effect of LY53857, A Selective $5HT_2$ Receptor Antagonist on 5HT-Induced Increases in Cutaneous Vascular Permeability in Rats," *Life Sci.* **44(14)**: 957-961 (1989);
		Baez, M., et al., "Pharmacological and Molecular Evidence that the Contractile Response to Serotonin in Rat Stomach Fundus is Not Mediated by Activation of the 5-Hydroxytryptamine$_{1C}$ Receptor," *Mol. Pharm.* **38(1)**: 31-37 (1990);
		Branchek, T., et al., "[^{3}H]-DOB(4-Bromo-2, 5-Dimethoxyphenylisopropylamine) and [^{3}H] Ketanserin Label Two Affinity State of the Cloned Human 5-Hydroxytrptamine$_2$ Receptor," *Mol. Pharm.* **38:** 604-609 (1990);
		Hartig, P., et al., "The Molecular Biology of Serotonin Receptors," *Neuropsychopharmacology* **3(5/6):** 335-347 (1990);
		Julius, D., et al., "Distinct by Functionally Conserved Serotonin Receptors," *PNAS* **87**: 928-932 (1990) ;
		Saltzman, A.G., et al, "Cloning of the Human Serotoini 5-HT2 and 5HT1C Receptor Subtypes," *Biochem. Biophys. Res. Comm.* **181(3)**: 1469-1478 (1991);
		Kao, H.T., et al, "Site-Directed Mutagenesis of a Single Residue Changes the Binding Properties of the Serotonin 5-HT2 Receptor from a Human to a Rate Pharmacology," *FEBS Letters* **307(3)**: 324-328 (1992); and

EXAMINER	DATE CONSIDERED

***EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.**

EXHIBIT 1
Hung-Teh Kao, et al.
Serial No.: Not Yet Known
Filed: Herewith

Form PTO-1449	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 35997-A3ZYA/JPW/ADM	Serial No. Not Yet Known
		Applicant: Hung-Teh Kao, et al.	
	INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)	Filing Date: Herewith	Group Art Unit

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)		
		Mita et al., "Evidence for the presence of D2 and 5-HT2 receptors in the human prefrontal cortex," *Jap. J. Pharmacol.* **32**: 1027-1032 (1982).
		Bowie, J.U., et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," *Science* **247**: 1306-1310 (1990).
		Wells, J.A., "Additivity of Mutational Effects in Proteins," *Biochemistry* **29(37)**: 8509-8517 (1990).
		Ngo, J.T., et al., "Computational Complexity, Protein Structure Prediction, and the Levinthal Paradox," In: *The Protein Folding Problem and Tertiary Structure Prediction*, pp 492-495 (1994) Merz, K. Jr. and LeGrand, S. (Eds), Birkhauser (Boston).

EXAMINER	DATE CONSIDERED

***EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.**

EXHIBIT 1
Hung-Teh Kao, et al.
Serial No.: Not Yet Known
Filed: Herewith